

IRC Client Setup Guides

✓ Recommended

⚠ Available, not recommended

Name	Web	Windows	macOS	Linux	Android	iOS
Kiwi IRC	✓					
mIRC		✓				
IRCCloud	✓				✓	✓
Igloo			⚠			✓
Textual			✓			
HexChat		✓	⚠	✓		
AdiIRC		✓				
LimeChat			⚠			⚠
AndroIRC					✓	
Revolution IRC					✓	
AndChat					⚠	
Konversation				✓		

Step by step guides for configuring various IRC clients for use with the Fuel Rats IRC server



Privacy notification

Some clients offer you to enter your Real Name as part of their connection options. Please be aware that **if you enter your real name here, it will be visible to anyone on IRC**. For privacy reasons, we suggest not filling in this field, or using your CMDR name.



Kiwi IRC

Kiwi is a web-based solution. There's two options, using the simple version via our own website or the full version with a few more features available. Kiwi is free & opensource.

Contents

1. [General information](#)
2. [Connect with full version](#)
3. [Optional settings](#)

Related articles

- [IRC FAQ](#)
- [IRC Client Setup Guides](#)

[Fuel Rats KIWI \(SSL\)](#)

[Fuel Rats KIWI \(Non-SSL\)](#)

The non-SSL link may be needed if you use Firefox.

[Development/full version KIWI *](#)

*** Currently this version is problematic, as it relays your connection details in a manner that may get you disconnected. We advise you do not use it until this has been fixed.**

[Official Kiwi IRC documentation](#)

Since kiwi is web-based there's no download & installation needed.

If you go with our Fuel Rats version (our website widget), you won't have any features such as automatic identify on login, so you will have to do such things manually via nickserv commands.

The full version of Kiwi has a bit more features:

- Configuration with automatic login
- Support for desktop/phones/tablets
- Themes
- Multiple languages
- Plugins / User scripts

Both versions have custom highlights (pings on words of your choice) under Settings > Notifications > Highlight on words. For example if you wanted to be notified of a new case you'd enter "ratsignal" without the quotation marks.

2 - Connect with the full version *

(*see note above about current issue with this IRC client)

Setting up the network is fairly simple and will be remembered on the computer you are using for next time.

If you enter your password for the registered nick into the password line, kiwi will identify with NickServ for you.

Server details

Server

The Fuel Rats IRC Network ▼

Password

Network

ZNC

Nickname

YourRegisteredIRCnickFromWebsite

Advanced ▼

Connect To Network


Danger Zone

✕ Remove network

You don't have to set up kiwi to rejoin channels every connection but you have to join them at least once using /join #fuelrats, /join #ratchet for the client to remember them.

3 - Further optional setup

Once connected, you can adjust a few other things if you want. This step is absolutely optional.



General

Theme Coffee ▼ 

☐ Show autocomplete list

☐ Use monospace

Chat Messages

Message Layout Traditional ▼

☐ Show timestamps

☐ Use 24-hour timestamps

☐ Show emoticons

☐ Block new private messages

Messages in scrollback

☐ Extra formatting

☐ Colour nicknames in messages

Notifications

☐ Include join/part messages as activity

☐ Mute sound notifications

Highlight on words (space separated)



A step by step guide to getting HexChat (a free IRC client for Windows and Linux) up and running with the Fuel Rats IRC for first time users

Contents 1. Installing HexChat 2. Connecting to the Fuel Rats IRC server 3. Changing the appearance 4. Sounds and Alerts 5. Tips and Tricks	Related articles • IRC FAQ • IRC Client Setup Guides Download HexChat Download Themes Official HexChat documentation
--	---

1 - Installing HexChat

Installation for HexChat is very straight forward. Follow the instructions in the installer with the default options being sufficient for use with the Fuel Rats IRC. If you run Windows 10 just download and the Windows 7 installer.

If you wish to save space and are comfortable with the English language, you may optionally uncheck Translations. We recommend keeping the auto updates option checked so the client notifies you when a new version is available however this is personal preference and of course optional!

The 'Portable Installation' option stores HexChat settings in the program directory so it can easily be copied to another computer, although under Windows, you may have to install HexChat to a different location (for example D: drive, or a USB stick) to avoid having to run the client as Administrator.



Non-portable mode (default option) settings location

Windows: %APPDATA%\HexChat
UNIX/Linux: ~/.config/hexchat



32-bit vs 64-bit

Some Cmdrs reported problems with getting alerts to run with the 64-bit version of hexchat on Windows. if you run into such problems, install the 32-bit version.

2 - Connecting to the Fuel Rats IRC server

The first time you run HexChat a Network List window will appear. Enter your desired IRC nicknames (the 3rd is optional). In most cases this would be your **CMDR name in-game**. Use underscores instead of spaces, if you have any in your name.

The 'User name' field is the name that shows up if anybody queries who you are in IRC and should match your **registered IRC nick** (see the [IRC FAQ](#)).

HexChat: Network List

User Information

Nick name:

Ratling[PC]

Second choice:

Ratling

Third choice:

User name:

Ratling

Networks

2600net

2ch

AccessIRC

AfterNET

Aitvaras

Anthrochat

ARCAH

^

v

Add

Remove

Edit...

Sort

Favor

☒ Skip network list on startup

☐ Show favorites only

Close

Connect

Example entries, your name may differ!

Once you have entered your nicknames, click on the 'Add' button. This will insert a new network at the top of the list. Click/type to rename the network to *FuelRats* as shown below. Press enter to save the name.

 HexChat: Network List ✕

User Information

Nick name:

Ratling[PC]

S

Second choice:

Ratling

T

Third choice:

User name:

Ratling

Networks

FuelRats

2600net

2ch

AccessIRC

AfterNET

Aitvaras

⬆

⬇

Add

Remove

Edit...

Sort

Favor

☒ Skip network list on startup ☐ Show favorites only

Close

Connect

With the *FuelRats* network selected, click on ' **Edit...** '. This will open up a 2nd window to configure how to connect to the Fuel Rats IRC server.

HexChat: Edit Fuelrats

irc.fuelrats.com/+6697

Add Remove Edit

Servers Autojoin channels Connect commands

☐ Connect to selected server only

☒ Connect to this network automatically

☐ Bypass proxy server

☒ Use SSL for all the servers on this network

☐ Accept invalid SSL certificates

☒ Use global user information

Nick name:

Second choice:

Real name:

User name:

Login method: SASL (username + password) ▼

Password:

Character set: UTF-8 (Unicode) ▼


Close

To add a server to the list at the top, click 'Add', type irc.fuelrats.com/+6697 and press **Enter** to save. Copy all other settings as shown. If you plan on using HexChat for more than just the Fuel Rats, you can uncheck "Use global user information" and specify your per-network nick names here.

Important Note about Login Method

For new joiners who have yet to set up IRC authentication (see the IRC guide), set the 'Login method' to **Default** with no password. Once you have set up your IRC authentication this can be changed as shown in the screenshot above.

The 'Autojoin channels' tab allows you to specify which channels HexChat will automatically join when connecting. We use primarily 2 channels that you will normally need to be connected to. **#FuelRats** (where official rescues are conducted) and **#RatChat** (informal chat and rescue discussion channel).



The image shows a window titled "HexChat: Edit Fuelrats" with a close button in the top right corner. The window contains a table with two columns: "Channel" and "Key (Password)". The table has two rows: "#FuelRats" and "#Ratchat". To the right of the table are three buttons: "Add", "Remove", and "Edit". Below the table are three tabs: "Servers", "Autojoin channels", and "Connect commands". Under the "Autojoin channels" tab, there are five checkboxes: "Connect to selected server only" (unchecked), "Connect to this network automatically" (checked), "Bypass proxy server" (unchecked), "Use SSL for all the servers on this network" (checked), and "Accept invalid SSL certificates" (unchecked). Below the checkboxes are five text input fields: "Nick name:", "Second choice:", "Real name:", "User name:", and "Login method:". The "Login method:" field is a dropdown menu showing "SASL (username + password)". Below the "Login method:" field is a "Password:" field with masked characters (dots). Below the "Password:" field is a "Character set:" dropdown menu showing "UTF-8 (Unicode)". At the bottom right of the window is a "Close" button.

Channel	Key (Password)
#FuelRats	
#Ratchat	

Buttons: Add, Remove, Edit

Tabs: Servers, Autojoin channels, Connect commands

Checkboxes:

- ☐ Connect to selected server only
- ☒ Connect to this network automatically
- ☐ Bypass proxy server
- ☒ Use SSL for all the servers on this network
- ☐ Accept invalid SSL certificates


Text Fields:

- Nick name:
- Second choice:
- Real name:
- User name:
- Login method:
- Password:
- Character set:

Buttons: Close

Adding channels is done in the same way as the previous list boxes. Click '**Add**', type the name and press **Enter** to save. Repeat this process for as many channels as you wish.

When you are happy with your settings, click '**Close**' to return to the Network List window followed by '**Connect**' to begin your IRC session. If you have replicated all of the check boxes as shown above, next time around the client will automatically connect to the Fuel Rats IRC.



Congratulations! You have connected to the IRC.


SSL Certificates

The first time you connect, you may receive a notification that the server certificate has changed. This is normal. The tech rats sometimes update the certificate so don't be surprised if the message pops up again 6 months down the line!


The general HexChat layout has channels you are connected to on the left (the top entry is the Status window which shows important messages from the server) the main chat area with nicknames and time stamps in the center and connected users listed down the right side when viewing a channel.

3 - Changing the appearance

The appearance of HexChat can be customized in various ways including layout, fonts and colors. To begin changing these settings, within the main HexChat window click on the **Settings** menu followed by **Preferences**.



The main settings window will open. This may appear somewhat confusing at first glance but fear not, it's all rather logical! A common request is to change the background and text colors to a dark theme. Click on **Colors** in the **Interface** section. By reversing Background and Foreground (click on each one to open the color picker) a darker theme can be quickly achieved.



Changing of fonts and colors is of course personal preference and some experimentation will be required! To preview your changes you need to click on **OK** which closes the window and applies your chosen settings. You'll have to open/close the Preferences window until you reach your desired look (takes a little while to get it right). Alternatively you can visit the Hexchat website and download pre-prepared themes (see link at the top in Related Articles).

Other settings you may wish to experiment with:

- **Interface Appearance Window Opacity**
Slide to make the main window transparent
- **Interface Channel switcher Switcher type**
Select Tabs to free up extra space on the left and move the channel selectors to the bottom
- **Chatting Logging**
Increasing the number of scrollback lines can be useful when dispatching multiple cases, or if you leave your client running for long periods of time and need to scroll up to check on previous cases in #FuelRats!
- **Chatting Alerts**
See the dedicated section on Sounds and Alerts


4 - Sounds and Alerts

As a Fuel Rat it's important (perhaps essential!) to know when a new case is arriving, or when another rat mentions your name without having to keep one eye glued to the IRC window all the time.

The Alerts section in Preferences requires a few basic changes to ensure you are "pinged" when a new client arrives. The trigger for most new cases is **Ratsignal** and this has been entered into the "Extra words to highlight" box shown below. If you require a highlight on a multiple-word phrase, you will need to surround it in quotes, "like so". Take note multiple highlights are separated by a comma, but **must not** have a space after it.

 Squeaking!

Take care not to write **Ratsignal** in the IRC chat! You'll squeak and everybody will hear! Beware!



The image shows the 'HexChat: Preferences' dialog box. On the left is a 'Categories' sidebar with 'Interface', 'Chatting', and 'Network' sections. 'Alerts' is selected under 'Chatting'. The main area is titled 'Alerts' and contains three sections: 'Alerts', 'Tray Behavior', and 'Highlighted Messages'. The 'Alerts' section has a table with columns for 'Channel Message', 'Private Message', and 'Highlighted Message'. The 'Tray Behavior' section has several checkboxes. The 'Highlighted Messages' section has three text input fields and a note about formatting.

	Channel Message	Private Message	Highlighted Message
Show notifications on:	☐	☐	☐
Blink tray icon on:	☐	☒	☒
Blink task bar on:	☐	☒	☒
Make a beep sound on:	☐	☐	☒

☐ Omit alerts when marked as being away
☐ Omit alerts while the window is focused

Tray Behavior

☒ Enable system tray icon
☐ Minimize to tray
☐ Close to tray
☐ Automatically mark away/back
☐ Only show notifications when hidden or iconified

Highlighted Messages

Highlighted messages are ones where your nickname is mentioned, but also:


Extra words to highlight:

Nick names not to highlight:

Nick names to always highlight:

*Separate multiple words with commas.
Wildcards are accepted.*


The 'Make a beep sound on: Highlighted Message' option has been checked. Highlighted messages are your nick name and anything that has additionally been entered into the 'Extra words to highlight' box. The default sound is your system's instant messenger alert sound however you can change the sound played in the Sounds section:



The file location for your sounds may differ. For HexChat the sound file needs to be a .wav format. There are many other events in the list that you may wish to customize however the Beep sound will cover the highlighted text.

As an additional customization you may also wish to change the highlighted text color and this is set in Interface Colors Highlight.

An example HexChat setup:



5 - Tips and Tricks

Did you know you can use the tab button while typing a message to automatically complete another user's name? By typing the first 2 or 3 letters and then pressing the tab key, you can cycle through nickname matches without having to type the full name. Very handy to avoid spelling mistakes!

On the subject of spelling, in HexChat you can right click on words while typing for spelling suggestions too!

Good luck CMDR, and fly safe with HexChat! o7



AdiIRC

A step by step guide for setting up the freeware client for Windows, AdiIRC (provided by Vanya Pavlovich)

Contents	Related articles
1. Installing 2. Connect 3. Customization 4. Tips	IRC FAQ IRC Client Setup Guides Download AdiIRC Download Themes Official AdiIRC documentation

1 - Installing AdiIRC

Download the stable release installer version from link above - that matches your operating system. Run the .exe and follow the steps in the install wizard. Keep settings as is, changing the installation location if you so wish.

2 - Connecting to the Fuel Rats IRC server

When you start AdiIRC a quick connect window will open. In the bottom right, click Advanced ServerList.

AdilRC - Quick Connect

Nick: Alternative:

Username: Fullname:

Server Name: Port: ☐ Is SSL

Password (if required):

Join Channel(s):

☐ Dont show this box again [Advanced ServerList](#)

A new window will open. Click Add new network. Name it FuelRats and copy from blank network. Then Add.

AdilRC - Server List

Server List

Type to search...

Server List

Here you can add and edit servers and networks

Press Add new network to get started

☐ Show serverlist on startup

#

AdilRC - Add Network

Network name:

Copy from:

The window will change to show all the details of the server you wish to add.

AdilIRC - Server List

Server List

Type to search...

FuelRats

General Servers Channels Commands SSL Proxy Misc

Nick: Alternative nicks: Add Remove

Fullname:

Username:

Password: ☐ Show password

Login Method: Default Encoding: Unicode (UTF-8)

☐ Connect to this network on startup ☐ Prioritize IPv6

☐ Minimize the server window ☐ Use this label as network name

Connect Connect in a new tab

Save Close Add new network ? ☐ Show serverlist on startup

2.1 - General

Here is the general settings of your nickname, login, and connection type.

-'Nick' is the nickname you will connect with and should be one of your registered nicks (See IRC FAQ on registering a nick <http://t.fuelr.at/ircfaq>).

-'Fullname' is what appears after your vhost via a /whois. For example Rat Jackson may choose to have Jackson Smith as their Fullname. And on a /whois, would show up as Jackson[PC]!Jack@jackson.rat.fuelrats.com * Jackson Smith. Fullname has no effect on logging in/identifying/registered nicknames, you can have it as anything you wish.

-'Username' is what you will be using to identify/log in to the IRC server. Set this as your base nick, your nick without platform [tags]. For example if your CMDR name is Jackson, you will have your base nick as Jackson, and your tagged nick as Jackson[PC]. Enter Jackson as your username.

-Password is the password you entered in the pop up box when registering the nick on the website. The nick being, the same one you are connecting with as 'Nick' above. Note the

-'Alternative nicks' is what you will connect with if 'Nick' is unavailable i.e. due to a ghost or second connection already open. Usually you can leave this as your base nick/the same as 'Nick' but with no platform [tag].

-Login Method change that from default to SASL (username + password) this will have AdilIRC use your username and password from above to identify you when you connect, serving the same purpose as a sign in on other sites and services.

Check Connect to this network on startup to have AdilIRC connect to the fuelrats IRC server when you launch it, OR check Show serverlist on startup to have this server window on startup and wait for you to press Connect.

-Connect will have Adi connect to the server. Don't click this until you're done setting up the connection

AdilIRC - Server List

Server List

Type to search... 🔍

FuelRats

General Servers Channels Commands SSL Proxy Misc

Nick: Jackson[PC] Alternative nicks:

Jackson
Jackson_
Jackson_
Jackson_

AddRemove

Fullname: Jackson Smith

Username: Jackson

Password: ●●●●●●●●
☐ Show password

Login Method: SASL (username + password) Encoding: Unicode (UTF-8)

☒ Connect to this network on startup ☐ Prioritize IPv6
☐ Minimize the server window ☐ Use this label as network name

Connect Connect in a new tab


Save Close Add new network ?

☐ Show serverlist on startup

2.2 - Server

Here is where you define the server you connect to


Click Add. Hostname will be irc.fuelrats.com. Port will be +6697 (Be sure to include the+). Enable SSL. Click save.



2.3 - Channels

These are the channels you will join when connecting to the server.

Click Add. Channel #ratchet (our social channel) and #fuelrats (our rescue channel). No password. Join on connect.



2.4 Commands

Here you can specify a command to run when you connect to the server. It is recommended to run /query MechaSqueak[BOT] as that will open a PM window with the bot you can use to run commands and facts for personal use and reference without cluttering #ratchat.

2.5 - SSL


Here you can specify the SSL settings you connect with. If you don't know what these are, leave them as is.

2.6 - proxy & Misc

If you don't know what these are, leave them as is.

2.7 - Connect

Now that you have your server connection all set up, click save then go back to the general tab. Click Connect. Voila, you are now connected to the Fuel Rats IRC via AdilRC.




3 - Customization

AdiIRC has a huge range of customization. You can dive right in from the options button (Wrench and Screwdriver icon).

-Colors-

The first thing you may want to change is the colours. From text/background to joins, quits and whos, the colours can all be changed here. Many chose to swap the 'background' and 'normal' colours for a black background with white text look.




-Editbox-

Here you can set Tabcomplete order to last spoken order. This has the tabcomplete function cycle through possibilities starting with which one last said something. Helps prevent you from accidentally pinging the wrong person in a conversation.

-Fonts-


For the Fuel Rats, you may find it useful to be able to distinguish between various similar characters such as I-l-1 O-0-Q-D and B-8. Some good fonts include operator mono, Consolas (mono), serif, Gadugi and Adi's default font; Verdana.

Fonts can be set individually for all the sections of AdiIRC from the messages, to the menu bars and edit-box.



-General-


Contains a variety of setting from having AdilIRC start when windows starts, allowing multiple copies of the program and confirm when closing window
- to update the frequency at which it checks for updates.



-Highlights-

A powerful tool in the rat's arsenal for being informed. You can set up to be pinged on just about anything in any variation.

Keep '\$me' as is. That will make it so that anytime your current nick is included in a message, it will ping you to get your attention. No need for @-ing somebody, simply type their name.



The 'Edit Highlight' dialog box contains the following fields and controls:

- Highlight:** A text input field containing '\$me'.
- Match on:** A dropdown menu set to 'Message'.
- Case sensitive:** An unchecked checkbox.
- Regex:** An unchecked checkbox.
- Play sound:** A dropdown menu.
- File:** A text input field containing 'C:\Windows\media\Windows Erro', a 'Browse' button, and a play button.
- Color:** A color selection dropdown showing a magenta color.
- Flash message:** A checked checkbox, a time input field set to '--', and the unit 'time(s)'.
- Tip message:** A checked checkbox, a time input field set to '3', and the unit 'secs'.
- Network name or Server address:** An empty text input field.
- Channel(s):** An empty text input field.
- Message:** A text input field containing '\$nick highlighted you on \$chan \$+ : \$1-'.
- Run command:** An empty text input field.
- Buttons:** 'Save', 'Close', and a help icon (?) at the bottom.

You can add your own custom highlights. Click 'Add' and a window will open where you can set specifics.

'Highlight' is the word that when said, will ping you. 'Message' will have it ping if it is part of a message. 'Nickname' will ping whenever someone with that nickname speaks. 'Regex' allows for an amazing range of customization and variation on a single highlight without having to make multiple; if you don't know what regex is, leave this off. Sound can be customized to play a single beep, defined by your system sounds, or an audio file you pick. Compatible sound file formats include .mp3 .wav and .wma. 'Channel(s)' allows you to set the highlight to only go off when said in specific channels.

Set as one of your highlights for the #fuelrats channel. This will notify you when a new client comes in looking for help. And prevents it from making undue noise should someone use that word anywhere else. You may also find it useful to have a ping specifically for the platform you are ratting on, so as not to be bothered when cases come in for a platform you do not play on. For this, instead of "RAT SIGNAL", set "Platform: PC" without the quote, XB or PS as applicable. RAT SIGNAL

-Logging-

This is what tells your client to log the history of channels into a text file. Highly recommended as it lets you search back through previous conversations, events, and in general record a history.

- Log channels - on
- Log Private chat - on
- Strip mIRC tags - on (otherwise you will end up with a bunch of clutter characters in your text logs that make it harder to read)
- everything else can be left is or changed per preference.

-Messages-

Customise how messages appear from timestamps to scrollbar.

It is recommended to increase the max buffer from 500. This will allow you to scrollbar further in time before you have to resort to checking logs.

AdilRC - Options

Options

Type to search...

Away

Backgrounds

Colors

DCC

Editbox

Emoticons

Events

Fonts

General

Highlights

Icons

Ignore

Inline Images

Links

Logging

Media Player

Messages

Monitor Panels

Mouse

Nick Colors

Nicklist

Notify

Proxy

Quick Connect

Server

Shortcuts

Sounds

Statusbar

Switchbar

Sysinfo

Tips

Tray Icon

Treebar

Windows

Timestamp

☒ Use Timestamp
 Format: [%HH:%ii:%ss] [Show date/time variables](#)

Message prefix

System: * Ctcp: >
User: \$nick Emote: * \$nick

[Variables](#)

☐ Highlight matching lines when hovering nicks
☐ Scroll messages when typing
☒ Make certain part of messages bold
☒ Automatically copy selected text to Clipboard
☒ Show now talking/rejoined channel messages
☒ Show day changed message
☐ Strip mIRC tags (colors/bold/italic/underline)
☐ Strip mIRC tags in Topicbox
☐ Use unread line marker
☐ Use small unread line marker
☒ Show empty line at bottom
☐ Ignore nick for consecutive messages
☐ Ignore timestamp for consecutive messages
☒ Show scroll icon when scrolled up
☐ Show lines between messages
☐ Use alternative text rendering
☒ Show short joins, parts and quits

Show Scrollbar Show
Indent wrapped lines with 0 pixels
Max buffer: 20000 lines
Line marker size: 2
Spacing: Single
Pixel spacing: 1

Save

Reset all

Reset


Close

?

-Nick Colors-

These settings override anything in -Color- above. Here you can set certain nicks/tags/roles to be differently coloured to help you more easily identify people and their roles. For example having anyone with "spatch" in their name or tag can help pick them out amongst a busy rescue channel.

Likewise setting different colours for vhosts/roles (*@*bot*) (*@*admin*) (*@*op*) (*@*netadmin*) (*@*techrat*) (*@*.overseer*) (*@*.rat*) (*@*recruit*) can help you learn who's who and their jobs as well as pick them out of a crowd at a glance. Or if you want our favorite Sheet to be his radiant Orange self. Or you may wish to turn on random nick colors. This can be confusing at first, but some find it helpful when every nick is a different colour.



-Nicklist-

This is the displayed list of users connected to a channel. Not much to change here outside of preference. Can be handy.

-Quick Connect-

This is where you can find the less detailed info and settings you dealt with in section 2. Best to leave them as is/blank to prevent interference with your already made connection settings. The Advanced ServerList button can also be found here, allowing you to go back and edit your connection settings.

-Run these commands on connect - Same as the commands tab in step 2.4.

4 - Tips

-Right click a channel in the channel list to access a wide variety of setting. Such as nicklist toggle, highlight toggle, and log view.

-By default AdilIRC has a few shortcuts to save precious seconds off our busy lives. When you want to PM a user, instead of /query you can use /q. /j instead of /join and /w instead of /whois. Many of these options can also be found via right click.

-If you know how to make user commands, these can be found under Tools > Edit Aliases.

-The serverlist settings from step 2 can also be found at Server > Serverlist or Ctrl+S by default, allowing you to go back and edit your connection settings.



A step by step guide to getting mIRC (an IRC client for Windows) up and running with the Fuel Rats IRC for first time users

Contents	Related articles
1. Installing mIRC 2. Connecting to the Fuel Rats IRC server 3. Authentication and auto-joining channels 4. Changing the appearance 5. Sounds and Alerts 6. Tips and Tricks	IRC FAQ IRC Client Setup Guides Download mIRC mIRC Help Resources

1 - Installing mIRC

Installation for mIRC is very straight forward. Follow the instructions in the installer with the default options being sufficient for use with the Fuel Rats IRC.

'Automatically Check for Updates' is recommended - mIRC will check if there is a newer version when starting the client.

The 'Portable Application' option stores mIRC settings in the program directory so it can easily be copied to another computer, although you may have to install mIRC to a different location (for example D: drive, or a USB stick) to avoid having to run the client as Administrator.



Non-portable mode (default option) settings location


%APPDATA%\mIRC

This is normally C:\Users\<your_username>\AppData\Roaming\mIRC

2 - Connecting to the Fuel Rats IRC server

When first starting mIRC you are presented with a window to enter your registration details. There is also the ability to evaluate the client if you don't have registration details to hand.

After completing that initial process you are presented with the mIRC Options window:




The screenshot shows the 'mIRC Options' dialog box with the 'Connect' category selected in the left-hand tree. The right-hand pane contains the following fields and controls:

- Nickname:** A text box containing 'Ratling[PC]'.
- Alternative:** A text box containing 'Ratling'.
- Name:** A text box containing 'Ratling'.
- Email:** A text box containing '(optional)'.
- Server:** A label followed by the text 'EFnet: Random server'.
- New window:** An unchecked checkbox.
- Connect:** A button.
- Buttons:** 'OK', 'Cancel', and 'Help' buttons at the bottom.

Enter your primary and secondary IRC nicknames. These should match your **registered IRC nick(s)** (see the [IRC FAQ](#)).


Next, move to the Servers sub category and you will most likely see a long list of popular IRC networks. For simplicity, these have been removed from this guide to avoid confusion. Click on '**Add**' to begin adding a new network:



The screenshot shows the 'mIRC Options' dialog box with the 'Servers' category selected in the left-hand tree. The right-hand pane contains the following elements:

- IRC Servers:** A large empty rectangular box for listing servers.
- Buttons:** 'Add', 'Edit', 'Delete', 'Sort', and 'Select' buttons are located to the right of the 'IRC Servers' box.
- Buttons:** 'OK', 'Cancel', and 'Help' buttons at the bottom.

A small popup 'Edit Server' window will appear. Enter details as follows:



Edit Server

Description:

IRC Server:


Ports:

Group:

Password:

Take care to ensure all of these details have been entered correctly. The server is **irc.fuelrats.com** and the port must be **+6697**. Ensure the description is **FuelRats** as we will reference this name later on.

Click **OK** to return to the mIRC Options window and move down one line to the **Options** sub category:



mIRC Options

Category:

- [-] Connect
 - ...Servers
 - Options**
 - ...Identd
 - ...Proxy
 - ...Local
- [-] IRC
 - Options
 - ...Messages
 - ...Catcher
 - ...Logging
 - ...Flood
- [-] Sounds
 - ...Requests
 - ...Speech
- [-] Mouse
 - ...Drop

☒ Connect on startup

☒ Reconnect on disconnect

☐ Show connect on startup

☒ Move to top on connect

☒ Check connection time out


☐ Preserve nicknames

☒ Use invisible mode

Default Port:

As before, ensure your settings match those shown above.


In the **Messages** sub category you may wish to enable Timestamp events (seeing times in the chat while ratting is useful). Stripping color codes from incoming messages is a personal preference (can be useful to avoid other users spoiling your color settings!).



Before moving on, some other settings you may wish to consider within the **mIRC Options** window:


- **Display Options**
Click on the Marker button and uncheck "Show line marker"
- **Other Window buffer**
Increase if you like being able to scroll back a long way
- **Connect Options Ports** (button)
Enable IPv6 support if you have IPv6 on your internet connection

You should now have **FuelRats** in your Servers list:




Make sure **FuelRats** is selected from the list and then click the **Select** button. You will be returned to the Connect page at the top of the category list. Click the **Connect** button to log into the Fuel Rats IRC server (you won't have to do this again, next time you load mIRC it will connect automatically).

On your first connect you may see a message like this:



Select to automatically accept and click **OK**.




Congratulations! You have connected to the IRC.

3 - Authentication and auto-joining channels


This section guides you through configuring mIRC to automatically authenticate and join channels when you connect to the **FuelRats** network.

The [IRC FAQ](#) guides you to **registering IRC nick(s)**. If not already done, please follow that guide first to set up your account. Once you have opened your account and registered your IRC nick(s) please continue!

Now that you are connected to the Fuel Rats IRC server, press ALT+R (in mIRC) or click on the **Tools** menu and select **Scripts Editor**



The mIRC Scripts Editor window will pop up. Select the **Remote** tab.



Copy and Paste into this editor the following:

```

on *:notice:*nick* is registered*:*:{
    if ($network == FuelRats) && ($nick == nickserv) {
        .msg $v2 identify YOUR_PASSWORD
    }
}

on *:notice:Password accepted*:*:{
    if ($network == FuelRats) {
        .join #FuelRats
        .join #RatChat
        .window -n "Status Window"
    }
}

```

You will notice on line 3, **YOUR_PASSWORD** needs to be replaced with your IRC password that you set in your account. This is private to you, do not show anybody else this information.

What does this do?

- When you are connecting to the **FuelRats** server (we spoke earlier about why the spelling is important) and nickserv asks you to identify, this script automatically authenticates for you
- When nickserv confirms your password is accepted, this script automatically joins the two important channels **#FuelRats** and **#RatChat**
- Finally, the script automatically hides the Status window so it doesn't get in your way


Of course you can add additional lines as required.

Once happy, click the **OK** button to close the window. The next time you load mIRC you will automatically authenticate and join **#FuelRats** and **#RatChat**.


4 - Changing the appearance

Despite what may appear to be a restrictive interface on first glance, mIRC can be extensively customized and is extremely versatile! It's not possible to cover all combinations however this section will demonstrate how to transform the default mIRC into a dark theme with an entirely different layout.


Here is our default mIRC. We're connected to the two default channels **#FuelRats** and **#RatChat**



Let's get rid of that toolbar at the top and while we are at it the big blank area to the left! Go to the **View** menu and uncheck **Toolbar** and **Treebar**.



Here's how it looks now:




Lets keep working on it. How about we move the Switchbar down to the bottom. Fortunately there is a little grapple on the left side of the bar. Lets have a look:




Grab this and drag the bar to the bottom (you can right click to lock the bar in position too). While you're at it, lets minimize the Status Window, just click the minimize button to get rid (next time you load mIRC it will get hidden automatically).

mIRC now looks like this:




After minimizing the Status window there are two other channels open. **#FuelRats** and **#RatChat**. They are both open but one is covering the other. Lets organize these two windows.


Resize the main mIRC program to the dimensions you wish and then click the **Window** menu and select Tile Horizontal:




mIRC should now look somewhat like this:



In this example #FuelRats is at the top as it is your first joined channel, #RatChat is below. If you are happy with the position of each sub window, click on the icon in the top left and select Position Save (for each sub window).




There are various options in the menu to override global settings per channel. One example would be to move the nick list to the left side. Click on '**Nic** k List...' and change the option accordingly:



Once again - select 'Set as default for all channels' if that is the setting you wish to apply to all channel windows.


Things are looking somewhat more organised. Lets look into fonts and colors.

To change the default font, click on the '**V**iew' menu at the top followed by '**F**ont...'




Select **'Set as default for channel windows'** to apply the change to your open channel windows. You may find fixed width fonts are easier to read (e.g. Lucida Console, Fixedsys, Consolas, and so on...).

To change text and background colors, click on the **'View'** menu at the top and **'Colors...'**



You can create a new color scheme by clicking **'New'** at the top and giving it a name. In the above example colors have been chosen to work with a black background. To change the background colors click on the blank spaces. To change individual text colors click directly on the text you wish to change and pick a color at the bottom. Once you are happy, click OK and your color scheme will be applied.

Example dark color scheme:



Great work CMDR, you've successfully changed the appearance of mIRC. Go forth and experiment!

5 - Sounds and Alerts

As a Fuel Rat it's important (perhaps essential!) to know when a new case is arriving, or when another rat mentions your name without having to keep one eye glued to the IRC window all the time.


The mIRC Address Book requires a few basic changes to ensure you are "pinged" when a new client arrives. The trigger for most new cases is **Ratsignal** and it would be useful for mIRC to notify you when a new case arrives.



Squeaking!

Take care not to write **Ratsignal** in the IRC chat! You'll squeak and everybody will hear! Beware!


To open the mIRC Address Book, press ALT+B or click on ' **Tools** ' on the main menu and ' **Address Book...** '



A few examples are shown above. *Ratsignal* being the most important notification. You may wish to highlight your name as I have done!

Select '**Enable highlight**' and click '**Add**' to create a new rule.


Lets take a look at the first two examples. The *Ratsignal*:



In this case any line that contains *Ratsignal* is written in red and ratsignal.wav is played.


 Sound files can be stored in the %APPDATA%\mIRC\sounds folder
This is normally C:\Users\<your_username>\AppData\Roaming\mIRC\sounds

A second highlighting example for your own name(s):



Here we use a different color and sound. The 'Flash message' option is checked which also flashes mIRC in the titlebar and taskbar. This can be useful if you are AFK for some time. When you return to your PC mIRC will be flashing reminding you there has been a message to with your name in it.

Example highlighted **Ratsignal** text:



6 - Tips and Tricks

Did you know you can use the tab button while typing a message to automatically complete another user's name? By typing the first 2 or 3 letters and then pressing the tab key, you can cycle through nickname matches without having to type the full name. Very handy to avoid spelling mistakes!

You can copy text by simply highlighting it with the mouse. There is no need to press CTRL+C.

You can set a background image in your chat windows by clicking the little icon (top left corner) and selecting Background Select...

Setting the default position for channel windows is different to the default position for private messaging windows.

If you have any useful tips, let us know!

Good luck CMDR, and fly safe with mIRC! o7

blocked URL Textual

A step by step guide to getting Textual (an IRC client for macOS) up and running with the Fuel Rats IRC for first time users

Contents	Related articles
1. Installing Textual 2. Connecting to the Fuel Rats IRC server 3. Authentication and auto-joining channels 4. Sounds and Alerts 5. Tips and Tricks	• IRC FAQ • IRC Client Setup Guides Download Textual Textual Knowledge Base

1 - Installing Textual


You can purchase Textual from the Mac App Store or from codeux.com, a 30-day trial is also available on the website.

If you wish to purchase it from the Mac App Store it will simply install to your /Applications and you can run it.

If you choose to purchase or trial it from codeux.com you simply press the "Try Textual for 30 days" button and a disk image file should download. When downloaded, double-click the disk image file in Finder and drag the Textual.app to the /Applications directory.

2 - Connecting to the Fuel Rats IRC server


When first starting Textual you are presented with a welcome window, press continue.



In the Destinations field scroll down until you see "**Fuel Rats**" and select it.

Enter your nickname. IT should match your **registered IRC nick(s)** (see the [IRC FAQ](#)).

In the channels field, make two entries, one for **#fuelrats** and one for **#ratchet**



Check the **Connect on launch** checkbox and click **Stat Chatting**.


Congratulations! You have connected to the IRC.

3 - Authentication


This section guides you through configuring Textual to automatically authenticate when you connect to the **FuelRats** network.

The [IRC FAQ](#) guides you to **registering IRC nick(s)**. If not already done, please follow that guide first to set up your account. Once you have opened your account and registered your IRC nick(s) please continue!

Now that you are connected to the Fuel Rats IRC server, right click the Fuel Rats entry in the server list and select Server Properties, or press **U**



In the **Server Properties** window select **Identity** in the list.



In the **Personal Password** field enter the password you used to register your nickname on fuelrats.com, and check the "Wait for identification before joining channels" checkbox.

Once happy, click the **Save** button to close the window. The next time you load Textual you will automatically authenticate and join **#FuelRats** and **#RatChat**.

4 - Sounds and Alerts

As a FuelRat it's important (perhaps essential!) to know when a new case is arriving, or when another rat mentions your name without having to keep one eye glued to the IRC window all the time.


Textual requires a few basic changes to ensure you are "pinged" when a new client arrives. The trigger for most new cases is **Ratsignal** and it would be useful for Textual to notify you when a new case arrives.




Squeaking!

Take care not to write **Ratsignal** in the IRC chat! You'll squeak and everybody will hear! Beware!

To open the Textual highlights list, press **⌘,**, or go to the Apple menu in the menubar, and select **Preferences**



Select the **Highlights** tab



In the **Highlight words** list press the + button to add a new item, and enter **ratsignal**

Make sure the "Highlight current nickname" checkbox is checked.

5 - Tips and Tricks

Did you know you can use the tab button while typing a message to automatically complete another user's name? By typing the first 2 or 3 letters and then pressing the tab key, you can cycle through nickname matches without having to type the full name. Very handy to avoid spelling mistakes!

You should now be set up and ready! Fly safe CMDR o7

blocked URL IRCCloud

A step by step guide to getting IRCCloud (an IRC client for web browsers, Android, and iOS) up and running with the Fuel Rats IRC for first time users

1 - Getting IRCCloud

You can sign up to IRCCloud from irccloud.com or by downloading it in the Google Play Store or Apple App Store

IRCCloud offers paid subscriptions but also has a free plan that disconnects you after a period of inactivity, this is perfectly fine for Fuel Rattling.

2 - Connecting to the Fuel Rats IRC server

Before you continue, make sure you confirm your email address, IRCCloud will not let you connect until you have done so.

Once you have registered your IRCCloud account you are presented with a login

Telia N 23:18 69%

Logout New Connection Save

SERVER SETTINGS

Network Choose a Network >

Hostname irc.fuelrats.com

Port 6697

Use SSL ☒

YOUR IDENTITY

Nickname john

Real name John Smith

PASSWORDS

NickServ ●●●●●●●●●●●●●●●●

Server

CHANNELS TO JOIN

In the hostname field enter **irc.fuelrats.com** enter **6697** as Port and check the **Use SSL** checkbox.

Enter your nickname. IT should match your **registered IRC nick(s)**. The [IRC FAQ](#) guides you to **registering IRC nick(s)** . If not already done, please follow that guide first to set up your account. Once you have opened your account and registered your IRC nick(s) please continue!

In the NickServ field enter the password you used to register your nickname on fuelrats.com

In the **Channels to join** field, make enter **#fuelrats** and **#ratchat**, seperated either by a space or a comma.

Telia N-WiFi Tale 23:26 66%

Logout New Connection Save

YOUR IDENTITY

Nickname john

Real name John Smith

PASSWORDS

NickServ

Server

CHANNELS TO JOIN

#fuelrats, #ratchat

COMMANDS TO RUN ON CONNECT

Name

FuelRats

Hostname irc.fuelrats.com Port 6697 ☒ Secure port

Your identity

Nickname John Full name (optional) John Smith

Advanced options

NickServ password — if the server supports it and you've registered your nickname

..... ☐ Reveal

Commands to run on connect — one per line, e.g. for opening up on connect.
If you need to add a (eg, 15 sec) delay between commands, you can write: WAIT 15

AUTH <user> <password> etc...

Server password — (optional) for private servers

☐ Reveal

Save Cancel Changing your real name or any of the host settings requires a reconnect

You can now press save **Save**.

Congratulations! You have connected to the IRC.

3 - Sounds and Alerts

As a FuelRat it's important (perhaps essential!) to know when a new case is arriving, or when another rat mentions your name without having to keep one eye glued to the IRC window all the time.


IRCCloud requires a few basic changes to ensure you are "pinged" when a new client arrives. The trigger for most new cases is **Ratsignal** and it would be useful for IRCCloud to notify you when a new case arrives.




Squeaking!


Take care not to write **Ratsignal** in the IRC chat! You'll squeak and everybody will hear! Beware!

To open the IRCCloud highlights list, press the cog wheel icon to the right of the input bar and select **Settings**





RAT SIGNAL



In the **Highlight words** list enter the word **RAT SIGNAL**

You should now be set up and ready! Fly safe CMDR o7

blocked URL AndroIRC

A step by step guide to getting AndroIRC (a free IRC client for Android) up and running with the Fuel Rats IRC for first time users

Contents	Related articles
1. Installing AndroIRC 2. Connecting to the Fuel Rats IRC server 3. Optional server settings 4. Auto-joining channels	• IRC FAQ • IRC Client Setup Guides Download AndroIRC


1 - Installing AndroIRC

AndroIRC can be found in the Play Store and installed for free [here](#).

There is also a premium version available which comes without ads but does not add any new features.

2 - Connecting to the FuelRats IRC network

When first starting the app, there will be some preconfigured servers, but we will add our own. Head into Settings > Servers and click *New server*.




The menu we are then shown let's us configure the new server.

- **Name:** This will be shown in the server list, *FuelRats* makes sense for our purposes.
- **Address:** The FuelRats IRC host address is *irc.fuelrats.com*.
- **Port:** If you wish to connect without SSL, use port 6667. If you wish to enable SSL specify port 6697. (See below)
- **Password:** Since the FuelRats IRC is not password-protected, we'll leave this blank.
- **Nickname:** Your preferred IRC nickname, many rats like to use their CMDR name with spaces replaced by underscores `_`. Make sure you have that nickname registered [on the website](#).
- **Alternative:** The fallback nickname in case your first choice is already taken upon connecting.
- **Ident:** This is what will be shown before your host (Example: *androirc@mhajoha.rat.fuelrats.com*). *androirc* is the default and will be used if this is left blank.

Your **Nickname**, **Alternative** and **Ident** can also be set globally in Settings > Nickname. Here you can set your **Real name** as well, which will be visible to other IRC users in your user info. Specific server settings will override global ones if both are set.

3 - Optional server settings

Scrolling down a bit farther, we see some interesting settings.



While we can connect to the FuelRats IRC with the setup we already have, these settings are worth looking at:

- **Secured connection:** SSL (aka TLS) will encrypt data transfer between you and the server. While this is not necessary, it is highly recommended to use SSL regardless of the circumstances. If you check this box, you must use port 6697 above. If you do not wish to use SSL, you must use port 6667.
- **HL list:** Messages containing any words you add to this list will be highlighted and you will be notified upon receiving them. If you intend to use AndroIRC as your main raving client, you may want to add *Ratsignal* to that list so that you get notified when a new client arrives.



Squeaking!


Take care not to write **Ratsignal** in the IRC chat! You'll squeak and everybody will hear! Beware!

- **Authentication:** You can set up the client so that you don't need to identify to NickServ everytime you connect. AndroIRC has two options here:
 - **NickServ:** The client will basically send the command `/msg NickServ identify <password>` for you, with *Password* being whatever password you set [on the website](#) when you registered the nickname we set earlier. This approach is simple, but it works well.
 - **SASL:** This option takes a username and a password. The username must be your main nickname, i.e. the first nickname you registered [on the website](#), and the password must be the password you have set for that nickname. The beauty here is that it will log you in independent of the nickname you connect with (the one we set earlier), however that will still have to be registered in the API for MechaSqueak to know who you are.
- **Auto-connect:** Connects to the server as soon as you start AndroIRC.
- **Auto-join channels:** Tick this box in order to be able to join channels on this server upon connection. See more [below](#).

4 - Auto-joining channels

In case you get tired of having to type `/join #ratchet` and `/join #fuelrats` everytime you connect, you can set AndroIRC to join certain channels upon connection automatically.

Go into Settings > Channels. Select the FuelRats server.



Simply input the channel name and make sure "Auto-join this channel" is ticked. Since neither #fuelrats nor #ratchet use a keyword (= password), there is no need to add one here.

 In order for these changes to have an effect, you have to tick **Auto-join channels** in the [server settings](#).

And with that, you should have AndroIRC all set up and ready to go. Go and fuel 'em, commander. o7

Revolution IRC

A step by step guide to getting Revolution IRC (a free Early Access IRC client for Android) up and running with the Fuel Rats IRC for first time users



Contents	Related articles
1. Installing Revolution IRC 2. Connecting to the Fuel Rats IRC server 3. Optional settings	IRC FAQ IRC Client Setup Guides Download Revolution IRC

1 - Installing Revolution IRC

Revolution IRC can be found in the Play Store and installed for free [here](#).

2 - Connecting to the FuelRats IRC network

To add a new server, click the + button in the bottom right.



The menu we are then shown let's us configure the new server.

- **Name:** This will be shown in the server list, *Fuel Rats* makes sense for our purposes.
- **Server Address:** The FuelRats IRC host adress is *irc.fuelrats.com*.
- **Port:** If you wish to connect without SSL, use port 6667. If you wish to enable SSL specify port 6697. (See below)

- **User SSL/TLS:** This will encrypt data transfer between you and the server. While this is not necessary, it is highly recommended to use SSL regardless of the circumstances. If you check this box, you must use port 6697 above. If you do not wish to use SSL, you must use port 6667.
- **Server Password:** The Fuel Rats IRC does not have a server password, so leave this blank.
- **Authentication mode / Username / Password:** The options here vary depending on which **Authentication mode** is set. **SASL** will suit most rats. **Username** is a registered nickname (see below). **Password** is the password you chose when registering your first nickname.
- **Nicknames:** Your preferred IRC nickname(s), many rats like to use their CMDR name with spaces replaced by underscores `_`. Make sure you have those nicknames registered [on the website](#). They will be attempted to be used in the order they are listed.
- **Auto-join channels:** Channels that will be joined automatically upon connecting.
- **Auto-run commands:** These commands are run when you connect, and will only be required if you do not use SASL or Client Certificate authentication to identify with NickServ.

Make sure to click the tick in the top-right when you're done.

Your **Nicknames** can also be set globally in `... > Settings > User Information`. Here you can set your **Real name** and **User** as well, which will be visible to other IRC users in your user info. Specific server settings will override global ones if both are set.

3 - Optional Settings

Also in `... > Settings` are various other global options.

- **Interface:** Here you can set up how Revolution IRC looks. There is an extensive range of options and two default themes to get started.
 - **Nick/channel autocomplete:** these offer various ways to complete nicks quickly and can be customised to suit your needs.
 - **Join/Part messages:** It is recommended to keep these visible. While these might be annoying to some, knowing whether a client, rat or dispatch disconnects is valuable information.
- **Notifications:** Messages containing any words you add to this list will be highlighted and you will be notified upon receiving them. If you intend to use Revolution IRC as your main ratting client, you may want to add *Ratsignal* or a platform-specific signal to that list so that you get notified when a new client arrives. Generally you will want **Nick mentions** and **Private messages** checked. Custom rules can be added with the `+` button in the bottom-right. This will open various settings from a simple word, to complex regex and various options to notify you.



Squeaking!

Take care not to write **Ratsignal** or any platform-specific signals in the IRC chat! You'll squeak and everybody will hear! Beware!

And with that, you should have Revolution IRC all set up and ready to go. Go and fuel 'em, commander. o7

Useful highlights

Regardless of the client you end up using, you are probably going to want to set some highlights for specific events.

Here is a small list of useful highlights you may want to set, please see your respective client's setup guide for info on how to use these!



Heads up!

Be careful not to speak these phrases in casual conversation otherwise you will squeak and everyone will glare at you!

value	description
RAT SIGNAL	Raise the alarm! a client is out of fuel! This highlight is used to notify rats that a client has arrived and needs assistance
PC_SIGNAL	Raise the specific alarm! a Client in the PC universe is out of fuel! This highlight is a more specific alarm than ratsignal, and is used to notify rats in the PC universe that a client has arrived and needs assistance.
PS_SIGNAL	Raise the specific alarm! a Client in the ps4 universe is out of fuel! This highlight is a more specific alarm than ratsignal, and is used to notify rats in the PS universe that a client has arrived and needs assistance.
XB_SIGNAL	Raise the specific alarm! a Client in the xbox universe is out of fuel! This highlight is a more specific alarm than ratsignal, and is used to notify rats in the xbox universe that a client has arrived and needs assistance.